

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((koudas and nikolaos).in. or (guha and sudipto).in.) and (matrix or matrices)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 15:01
L2	0	((koudas and nikolaos).in. or (guha and sudipto).in.) and (SVD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 15:01
L3	7	(Johnson-Lindenstrauss or (Johnson adj Lindenstrauss))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 15:57
L4	918	@ad<"20030410" and (matrix or matrices) and correlat\$4 and (SVD or (singular adj value adj decomposition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:05
L5	231	4 and quantif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 15:58
L6	3	5 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:02
L7	15	4 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:02
L8	12	7 not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:04

EAST Search History

L9	1	@ad<"20030410" and (matrix or matrices) and correlat\$4 and (SVD or (singular adj value adj decomposition)) and 708/400-446.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:37
L10	5	@ad<"20030410" and (matrix or matrices) and (SVD or (singular adj value adj decomposition)) and 708/400-446.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:10
L11	1711	@ad<"20030410" and (matrix or matrices) and (SVD or (singular adj value adj decomposition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:07
L12	465	(eigenvector\$1 or eigen-vector\$1) and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:08
L13	355	(eigenvector\$1 or eigen-vector\$1) and (eigenvalue\$1 or eigen-value\$1) and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:09
L14	327	13 and reduc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:09
L15	318	(dimension\$3 or size\$1) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:10
L16	89	15 and ((SVD or (singular adj value adj decomposition)).ti,clm,ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:11

EAST Search History

L17	221	15 and correlat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:11
L18	1	@ad<"20030410" and (matrix or matrices) and correlat\$4.ti,clm,ab. and synchronous and asynchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:38
L19	11	@ad<"20030410" and (matrix or matrices) and correlat\$4 and synchronous and asynchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:46
L20	499	708/422-426.ccls. and @ad<"20030410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 16:48
L21	83	20 and (matrix or matrices)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 17:05
L22	0	(SVD or (singular adj value adj decomposition)) and (Johnson-Lindenstrauss or (Johnson adj Lindenstrauss))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 17:05
S1	15	(koudas.in. and nikolaos.in.) or (guha.in. and sudipto.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 14:47
S2	0	S1 and corelat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:43

EAST Search History

S3	0	S1 and singular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:41
S4	0	@ad<"20030410" and (SVD or (singular adj value adj decomposition)) and corelat\$5 and (matrix or matrices)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:43
S5	2449	@ad<"20030410" and (SVD or (singular adj value adj decomposition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:42
S6	1	S5 and corelat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:42
S7	908	@ad<"20030410" and (SVD or (singular adj value adj decomposition)) and correlat\$5 and (matrix or matrices)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 17:14
S8	5	S1 and correlat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:43
S9	266	correlat\$5.ti,clm,ab. and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:44
S10	1332516	9a nd "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:44

EAST Search History

S11	2	S9 and "708"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 16:44
S12	51	("4228517" "4238849" "4281217" "4379947" "4403331" "4476573" "4498195" "4513288" "4621355" "4633285" "4658296" "4660192" "4712240" "5038402" "5073898" "5103459" "5121211" "5121407" "5133081" "5136611" "5150377" "5164959" "5175710" "5202900" "5210770" "5216693" "5218717" "5222101" "5239560" "5241562" "5249200" "5278826" "5278844" "5280537" "5282222" "5285472" "5287388" "5291289" "5291520" "5297033" "5307378" "5309474" "5452328").PN. OR ("5903598"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/19 16:48
S13	15	@ad<"20030410" and (SVD or (singular adj value adj decomposition)) and correlat\$5 and (matrix or matrices) and "708"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/19 17:14
S14	2	"6665822".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 14:31

Google

reduction Johnson-Lindenstrauss SVD

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 207 for **reduction Johnson-Lindenstrauss SVD**. (0.47 seconds)

[PDF] [Random projection in dimensionality reduction: Applications to ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

It is seen that random projection. is not quite as accurate as **SVD** but in many applications. the error may be neglectable. The **Johnson-Lindenstrauss** ...

www.cis.hut.fi/ella/publications/randproj_kdd.pdf - [Similar pages](#)

[PDF] [Random projection in dimensionality reduction: Applications to ...](#)

File Format: PDF/Adobe Acrobat

the **Johnson-Lindenstrauss** lemma, the expected norm of a the dimensionality **reduction**. 0.15. Average error using RP. and **SVD** ...

portal.acm.org/ft_gateway.cfm?id=502546&type=pdf&dl=GUIDE&dl=ACM - [Similar pages](#)

[PDF] [Testing Dimension Reduction Methods for Text Retrieval Testing ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Several approximate methods for faster **SVD** calculation were offered, such as ... The minimal "safe" dimension can be obtained from **Johnson-Lindenstrauss** ...

ftp.informatik.rwth-aachen.de/Publications/CEUR-WS/Vol-129/paper15.pdf - [Similar pages](#)

[PPT] [Approximate Nearest Neighbors and the Fast Johnson-Lindenstrauss ...](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Matrix multiplication; **SVD** computation; L2 regression. VLSI layout Design [V98]; Learning [AV99, ... History of **Johnson-Lindenstrauss** Dimension Reduction ...

www.math.ias.edu/~nailon/fjlt.ppt - [Similar pages](#)

[PPT] [Slide 1](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

SIGMOD, 1994. Data **reduction**, eg. DFT, DWT, **SVD**. GEMINI: an example ... A set of random base (non-deterministic); Based on **Johnson-Lindenstrauss** (JL) Lemma ...

cs1.cs.nyu.edu/shasha/papers/statstream/stat_doc/thesis.ppt - Supplemental Result -

[Similar pages](#)

[Citations: Extensions of Lipshitz mapping into Hilbert space ...](#)

We solve the resulting semi definite program, round the solution X # into a convenient form, and then apply the **JohnsonLindenstrauss** dimension **reduction** ...

citeseer.comp.nus.edu.sg/context/687885/0 - 36k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[PPT] [Similarity Problems in Data Mining](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

SVD Cont'd. Advantages:. Optimal dimensionality **reduction** (for linear projections).

Disadvantages: Based on the **Johnson-Lindenstrauss** lemma; For: ...

www.cs.ucr.edu/~dg/CS235/dimred1.ppt - [Similar pages](#)

[PDF] [Abstract 1. Introduction Dimensionality Reduction by Random ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

reduction technique by **SVD**, for the rest of the proof of the **Johnson-Lindenstrauss** lemma. Technical Report TR-99-006, International ...

www.cs.ucr.edu/~jessica/RP_LSI_SDM03.pdf - [Similar pages](#)

[PPT] www.cs.princeton.edu/~moses/talks/compact-represen...

File Format: Microsoft Powerpoint - [View as HTML](#)

Original data points are high dimensional; Sketches are points low dimensions; Dimension **reduction** in normed spaces [**Johnson Lindenstrauss** '84] ...

[Similar pages](#)

Citebase - Nonlinear Estimators and Tail Bounds for Dimension ...
Approximate nearest neighbors and the fast **Johnson-Lindenstrauss** transform. ...
Retrieval of difficult image classes using **SVD**-based relevance feedback. ...
www.citebase.org/abstract?identifier=oai%3AarXiv.org%3Acs%
2F0610155&action=citeshits&citeshits=cites - 50k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

reduction Johnson-Lindenstrauss SVD

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)